

LISTING OF CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1(Currently Amended).      A method of fabricating PTFE material comprising:  
    preparing a mixture of PTFE resin powder and a susceptor material;  
    feeding the mixture into a compaction zone to at least partially compact and shape the mixture; and  
    providing a continuous flow of the mixture from the compaction zone downstream to a separate heating zone and heating and sintering the mixture within the heating zone by exciting the susceptor material by application of wave energy and drawing a vacuum on the mixture within the heating zone while sintering the mixture to extract air from the mixture.
- 2(Cancelled).
- 3(Currently Amended).      The method of claim [[2 ]]1 wherein the heating zone has an initial stage for preheating and finishing compaction of the mixture prior to sintering the mixture.
- 4(Currently Amended).      The method of claim [[2 ]]1 including passing the sintered mixture through a cooling zone following the heating zone.
- 5(Original).      The method of claim 1 including cutting the PTFE material while the mixture is at a temperature below a sintering temperature within the heating zone but above ambient temperature.
- 6(Original).      The method of claim 1 wherein the mixture is compacted into a generally tubular form.
- 7(Original).      The method of claim 1 wherein the mixture is heated by microwave energy.

**Appln. No.: 10/643,097**

**Reply to Office action of January 17, 2007 and Advisory Action of March 12, 2007**

8(Currently Amended).        A method of fabricating a PTFE material, comprising:  
    preparing a mixture of PTFE resin powder and a susceptor material;  
    compacting the mixture; and  
    sintering the mixture by exciting the susceptor material with microwave energy  
and drawing a vacuum on the mixture during the sintering step to extract air from the  
mixture.

9(Cancelled).